

IN THE CLAIMS

1. (Currently Amended) A method for operating a data processing system, said method comprising:
 - receiving a blank writeable media into a drive system which is coupled to said data processing system (DPS);
 - receiving, through a graphical user interface, an instruction to write first data on said blank writeable media and delaying execution of said instruction until a command to eject said blank writeable media; and
 - receiving through a said graphical user interface said command to eject said blank writeable media from said drive system, wherein upon said receiving of said command to eject, said DPS writes said first data on said blank writeable media wherein the graphical user interface has the capability to perform drag and drop operations on icons displayed on a display device.
2. (Original) A method as in claim 1 wherein said writeable media is an optical disk.
3. (Original) A method as in claim 2 wherein said optical disk is a CD-R disk or CD-RW disk or a DVD disk.
4. (Canceled)
5. (Previously Presented) A method as in claim 2 further comprising:
 - displaying automatically, in response to said receiving of said writeable media and on a display device coupled to said DPS, a prompt to a user with at least two selectable options which allow a user to: (1) eject said writeable media or (2) use said writeable media.
6. (Previously Presented) A method as in claim 2 further comprising:

displaying automatically, in response to said receiving of said writeable media and on a display device coupled to said DPS, an icon of said writeable media, wherein said icon is displayed on a desktop interface of said DPS.

7. (Previously Presented) A method as in claim 6 wherein said icon may be directly used through the graphical user interface to write data onto said writeable media.

8. (Previously Presented) A method as in claim 5 further comprising if the use selectable option was selected:

displaying automatically, in response to said receiving of said writeable media and on a display device coupled to said DPS, an icon of said writeable media, wherein said icon is displayed on a desktop interface of said DPS.

9. (Original) A method as in claim 5 wherein if the use selectable option is selected, said method further comprising:

creating automatically, in response to the use selectable option being selected, a data file on a storage device which is coupled to said DPS prior to writing data to said writeable media.

10. (Original) A method as in claim 9 wherein said data file represents an entire capacity of said writeable media.

11. (Original) A method as in claim 10 wherein said data file represents a data cache for said writeable media.

12. (Original) A method as in claim 7 wherein said icon is directly used by a method which includes one of (a) dragging and dropping of at least one icon onto said icon, or (b) copying and pasting said at least one icon onto said icon.

13. (Original) A method as in claim 6 wherein said desktop interface comprises a plurality of icons for a corresponding plurality of storage devices coupled to said DPS and a plurality of icons representing data files and subdirectories.
14. (Currently Amended) A method for operating a data processing system, said method comprising:
- receiving a blank ~~once~~ one-time writeable media into a drive system which is coupled to said data processing system (DPS);
 - displaying automatically, in response to said receiving and on a display device coupled to said DPS, a prompt to a user with at least three selectable options which allow said user to: (1) eject said blank once writeable media from said drive system or (2) use said blank once writeable media in said drive system or (3) launch an audio CD creation program.
15. (Currently Amended) A method as in claim 14 wherein if said user selects to use said blank one-time writeable media, said method further comprises:
- displaying automatically, in response to said user selecting to use said blank one-time writeable media, an icon representing said blank one-time writeable media on said display device.
16. (Currently Amended) A method as in claim 15 wherein said icon is displayed on a desktop interface of said DPS and wherein said icon may be directly used to write data onto said blank one-time writeable media.
17. (Currently Amended) A method as in claim 15 wherein said icon is displayed before formatting of said blank one-time writeable media.
18. (Previously Presented) A method for operating a data processing system, said method comprising:

receiving a blank writeable media into a drive system which is coupled to said data processing system (DPS);

creating automatically, in response to said receiving, a data file on a storage device which is coupled to said DPS prior to writing data to said blank writeable media, to store various data files to be written to said blank writeable media upon an ejection or burn operation.

19. (Original) A method as in claim 18 wherein said data file represents an entire storage capacity of said blank writeable media.

20. (Original) A method as in claim 19 wherein said data file represents a data cache for copying data from said data file to said blank writeable media when said blank writeable media is written to.

21. (Original) A method as in claim 20 wherein said blank writeable media is a CD-R disk or a CD-RW disk or a DVD disk.

22. (Previously Presented) A method as in claim 19 further comprising:
displaying automatically, in response to said receiving and on a display device coupled to said DPS, a prompt to a user with at least two selectable options which allow said user to (1) eject said blank writeable media from said drive system or (2) use said blank writeable media in said drive system.

23. (Original) A method as in claim 22 wherein said creating follows after said user selects to use said blank writeable media.

24. (Original) A method as in claim 18 wherein said storage device is a boot drive for said DPS and contains an operating system for said DPS.

25. (Currently Amended) A machine readable medium which stores executable computer program instructions which when executed by a data processing system cause said data processing system to perform a method, said method comprising:

- receiving a blank writeable media into a drive system which is coupled to said data processing system (DPS);
- receiving, through a graphical user interface, an instruction to write first data on said blank writeable media and delaying execution of said instruction until a command to eject said blank writeable media; and
- receiving through a said graphical user interface said command to eject said blank writeable media from said drive system, wherein upon said receiving of said command to eject, said DPS writes said first data on said blank writeable media wherein the graphical user interface has the capability to perform drag and drop operations on icons displayed on a display device.

26. (Original) A machine readable medium as in claim 25 wherein said writeable media is an optical disk.

27. (Original) A machine readable medium as in claim 26 wherein said optical disk is a CD-R disk or CD-RW disk or a DVD disk.

28. (Previously Presented) A machine readable medium as in claim 26 wherein said writeable media is blank when said receiving of said writeable media is performed.

29. (Previously Presented) A machine readable medium as in claim 26 wherein said method further comprises:

- displaying automatically, in response to said receiving of said writeable media and on a display device coupled to said DPS, a prompt to a user with at least two selectable options which allow a user to: (1) eject said writeable media or (2) use said writeable media.

30. (Previously Presented) A machine readable medium as in claim 26 wherein said method further comprises:

displaying automatically, in response to said receiving of said writeable media and on a display device coupled to said DPS, an icon of said writeable media, wherein said icon is displayed on a desktop interface of said DPS.

31. (Previously Presented) A machine readable medium as in claim 30 wherein said icon may be directly used through the graphical user interface to write data onto said writeable media.

32. (Previously Presented) A machine readable medium as in claim 29 wherein said method further comprises if the use selectable option was selected:

displaying automatically, in response to said receiving of said writeable media and on a display device coupled to said DPS, an icon of said writeable media, wherein said icon is displayed on a desktop interface of said DPS.

33. (Previously Presented) A machine readable medium as in claim 29 wherein if the use selectable option is selected, said method further comprising:

creating automatically, in response to the use selectable option being selected, a data file on a storage device which is coupled to said DPS prior to writing data to said writeable media.

34. (Original) A machine readable medium as in claim 33 wherein said data file represents an entire capacity of said writeable media.

35. (Original) A machine readable medium as in claim 34 wherein said data file represents a data cache for said writeable media.

36. (Original) A machine readable medium as in claim 31 wherein said icon is directly used by a method which includes one of (a) dragging and dropping of at least one icon onto said icon, or (b) copying and pasting said at least one icon onto said icon.

37. (Original) A machine readable medium as in claim 30 wherein said desktop interface comprises a plurality of icons for a corresponding plurality of storage devices coupled to said DPS and a plurality of icons representing data files and subdirectories.

38. (Currently Amended) A machine readable medium which stores executable computer program instructions which when executed on a data processing system cause said data processing system to perform a method, said method comprising:
receiving a blank ~~once~~ one-time writeable media into a drive system which is coupled to said data processing system (DPS);
displaying automatically, in response to said receiving and on a display device coupled to said DPS, a prompt to a user with at least three selectable options which allow said user to: (1) eject said blank once writeable media from said drive system or (2) use said blank once writeable media in said drive system or (3) launch an audio CD creation program.

39. (Currently Amended) A machine readable medium as in claim 38 wherein if said user selects to use said blank one-time writeable media, said method further comprises:
displaying automatically, in response to said user selecting to use said blank one-time writeable media, an icon representing said blank one-time writeable media on said display device.

40. (Currently Amended) A machine readable medium as in claim 39 wherein said icon is displayed on a desktop interface of said DPS and wherein said icon may be directly used to write data onto said blank one-time writeable media.

41. (Currently Amended) A machine readable medium as in claim 39 wherein said icon is displayed before formatting of said blank one-time writeable media.
42. (Previously Presented) A machine readable medium which stores executable computer program instructions which when executed by a data processing system cause said system to perform a method, said method comprising:
- receiving a blank writeable media into a drive system which is coupled to said data processing system (DPS);
 - creating automatically, in response to said receiving, a data file on a storage device which is coupled to said DPS prior to writing data to said blank writeable media, to store various data files to be written to said blank writeable media upon an ejection or burn operation.
43. (Original) A machine readable medium as in claim 42 wherein said data file represents an entire storage capacity of said blank writeable media.
44. (Original) A machine readable medium as in claim 43 wherein said data file represents a data cache for copying data from said data file to said blank writeable media when said blank writeable media is written to.
45. (Original) A machine readable medium as in claim 44 wherein said blank writeable media is a CD-R disk or a CD-RW disk or a DVD disk.
46. (Previously Presented) A machine readable medium as in claim 43 wherein said method further comprises:
- displaying automatically, in response to said receiving and on a display device coupled to said DPS, a prompt to a user with at least two selectable options which allow said user to (1) eject said blank writeable media from said drive system or (2) use said blank writeable media in said drive system.

47. (Original) A machine readable medium as in claim 46 wherein said creating follows after said user selects to use said blank writeable media.
48. (Original) A machine readable medium as in claim 42 wherein said storage device is a boot drive for said DPS and contains an operating system for said DPS.
49. (Currently Amended) A data processing system comprising:
means for receiving a blank writeable media into a drive system which is coupled to said data processing system (DPS);
means for receiving, through a graphical user interface, an instruction to write first data on said blank writeable media and delaying execution of said instruction until a command to eject said blank writeable media; and
means for receiving through a said graphical user interface said command to eject said blank writeable media from said drive system, wherein upon said receiving of said command to eject, said DPS writes said first data on said blank writeable media wherein the graphical user interface has the capability to perform drag and drop operations on icons displayed on a display device.
50. (Original) A DPS as in claim 49 wherein said writeable media is an optical disk.
51. (Original) A DPS as in claim 50 wherein said optical disk is a CD-R disk or CD-RW disk or a DVD disk.
52. (Previously Presented) A DPS as in claim 50 wherein said writeable media is blank when said receiving of said writeable media is performed.
53. (Previously Presented) A DPS as in claim 50 further comprising:

means for displaying automatically, in response to said receiving of said writeable media and on a display device coupled to said DPS, a prompt to a user with at least two selectable options which allow a user to: (1) eject said writeable media or (2) use said writeable media.

54. (Previously Presented) A DPS as in claim 50 further comprising:
means for displaying automatically, in response to said receiving of said writeable media and on a display device coupled to said DPS, an icon of said writeable media, wherein said icon is displayed on a desktop interface of said DPS.

55. (Previously Presented) A DPS as in claim 54 wherein said icon may be directly used through the graphical user interface to write data onto said writeable media.

56. (Previously Presented) A DPS as in claim 53 further comprising if the use selectable option was selected:
means for displaying automatically, in response to said receiving of said writeable media and on a display device coupled to said DPS, an icon of said writeable media, wherein said icon is displayed on a desktop interface of said DPS.

57. (Previously Presented) A DPS as in claim 53 wherein if the use selectable option is selected, said DPS further comprising:
means for creating automatically, in response to the use selectable option being selected, a data file on a storage device which is coupled to said DPS prior to writing data to said writeable media.

58. (Original) A DPS as in claim 57 wherein said data file represents an entire capacity of said writeable media.

59. (Original) A DPS as in claim 58 wherein said data file represents a data cache for said writeable media.

60. (Original) A DPS as in claim 55 wherein said icon is directly used by a method which includes one of (a) dragging and dropping of at least one icon onto said icon, or (b) copying and pasting said at least one icon onto said icon.

61. (Original) A DPS as in claim 54 wherein said desktop interface comprises a plurality of icons for a corresponding plurality of storage devices coupled to said DPS and a plurality of icons representing data files and subdirectories.

62. (Currently Amended) A data processing system comprising:
means for receiving a blank ~~once~~ one-time writeable media into a drive system which is coupled to said data processing system (DPS);
means for displaying automatically, in response to said receiving and on a display device coupled to said DPS, a prompt to a user with at least three selectable options which allow said user to: (1) eject said blank once writeable media from said drive system or (2) use said blank once writeable media in said drive system or (3) launch an audio CD creation program.

63. (Currently Amended) A DPS as in claim 62 wherein if said user selects to use said blank one-time writeable media, said method further comprises:
means for displaying automatically, in response to said user selecting to use said blank one-time writeable media, an icon representing said blank one-time writeable media on said display device.

64. (Currently Amended) A DPS as in claim 63 wherein said icon is displayed on a desktop interface of said DPS and wherein said icon may be directly used to write data onto said blank one-time writeable media.

65. (Currently Amended) A DPS as in claim 63 wherein said icon is displayed before formatting of said blank one-time writeable media.
66. (Previously Presented) A data processing system comprising:
means for receiving a blank writeable media into a drive system which is coupled to said data processing system (DPS);
means for creating automatically, in response to said receiving, a data file on a storage device which is coupled to said DPS prior to writing data to said blank writeable media, to store various data files to be written to said blank writeable media upon an ejection or burn operation.
67. (Original) A DPS as in claim 66 wherein said data file represents an entire storage capacity of said blank writeable media.
68. (Original) A DPS as in claim 67 wherein said data file represents a data cache for copying data from said data file to said blank writeable media when said blank writeable media is written to.
69. (Original) A DPS as in claim 68 wherein said blank writeable media is a CD-R disk or a CD-RW disk or a DVD disk.
70. (Previously Presented) A DPS as in claim 67 further comprising:
means for displaying automatically, in response to said receiving and on a display device coupled to said DPS, a prompt to a user with at least two selectable options which allow said user to (1) eject said blank writeable media from said drive system or (2) use said blank writeable media in said drive system.

71. (Original) A DPS as in claim 70 wherein said creating follows after said user selects to use said blank writeable media.

72. (Original) A DPS as in claim 66 wherein said storage device is a boot drive for said DPS and contains an operating system for said DPS.